

Compal Confidential

JAWD0 Schematics Document

AMD Griffin Processor with RS780M+SB700


2008-07-01

REV:1.0

Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2008/03/25	Deciphered Date	2008/12/20	Title	SCHEMATICS, MB A4391
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Rev B	Document Number 401575
				Rev D	
Date: Tuesday, August 19, 2008				Sheet 1 of 45	

Compal Confidential

Model Name : JAWD0



Security Classification	Compal Secret Data			Compal Electronics, Inc.	
Issued Date	2008/03/25	Deciphered Date	2008/12/20	Title	SHEMATICS, MB A4391
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number	401575
				Date	Tuesday, August 19, 2008
				Sheet	2 of 45

Voltage Rails

Power Plane	Description	S1	S3	S5
VIN	Adapter power supply (19V)	N/A	N/A	N/A
B+	AC or battery power rail for power circuit.	N/A	N/A	N/A
+CPU_CORE	Core voltage for CPU	ON	OFF	OFF
+0.9VS	0.9V switched power rail for DDR terminator	ON	OFF	OFF
+1.05VS	1.05V switched power rail	ON	OFF	OFF
+1.25VS	1.25V switched power rail	ON	OFF	OFF
+1.5VS	1.5V switched power rail	ON	OFF	OFF
+1.8V	1.8V power rail for DDR	ON	ON	OFF
+1.8VS	1.8V switched power rail	ON	OFF	OFF
+2.5VS	2.5V switched power rail	ON	OFF	OFF
+3VALW	3.3V always on power rail	ON	ON	ON*
+3V	3.3V power rail for SB	ON	ON	X
+3V_LAN	3.3V power rail for LAN	ON	ON	X
+3VS	3.3V switched power rail	ON	OFF	OFF
+5VALW	5V always on power rail	ON	ON	ON*
+5VS	5V switched power rail	ON	OFF	OFF
+VSB	VSB always on power rail	ON	ON	ON*
+RTCVCC	RTC power	ON	ON	ON

Note : ON* means that this power plane is ON only with AC power available, otherwise it is OFF.

External PCI Devices

Device	IDSEL#	REQ#/GNT#	Interrupts
--------	--------	-----------	------------

EC SM Bus1 address

Device	Address	Device	Address
Smart Battery	0001 011X b	ADI ADM1032	1001 100X b
EEPROM(24C16/02)	1010 000X b		

EC SM Bus2 address

SB700
SM Bus 0 address

Device	Address
Clock Generator (ICS9LPRS365)	1101 001Xb
DDR DIMM0	1001 000Xb
DDR DIMM2	1001 010Xb
Minicard	

STATE	SIGNAL	SLP_S1#	SLP_S3#	SLP_S4#	SLP_S5#	+VALW	+V	+VS	Clock
Full ON		HIGH	HIGH	HIGH	HIGH	ON	ON	ON	ON
S1(Power On Suspend)		LOW	HIGH	HIGH	HIGH	ON	ON	ON	LOW
S3 (Suspend to RAM)		LOW	LOW	HIGH	HIGH	ON	ON	OFF	OFF
S4 (Suspend to Disk)		LOW	LOW	LOW	HIGH	ON	OFF	OFF	OFF
S5 (Soft OFF)		LOW	LOW	LOW	LOW	ON	OFF	OFF	OFF

Board ID / SKU ID Table for AD channel

Vcc	3.3V +/- 5%			
Ra/Rc/Re	100K +/- 5%			
Board ID	Rb / Rd / Rf	VAD_BID min	VAD_BID typ	VAD_BID max
0	0	0 V	0 V	0 V
1	8.2K +/- 5%	0.216 V	0.250 V	0.289 V
2	18K +/- 5%	0.436 V	0.503 V	0.538 V
3	33K +/- 5%	0.712 V	0.819 V	0.875 V
4	56K +/- 5%	1.036 V	1.185 V	1.264 V
5	100K +/- 5%	1.453 V	1.650 V	1.759 V
6	200K +/- 5%	1.935 V	2.200 V	2.341 V
7	NC	2.500 V	3.300 V	3.300 V

BOARD ID Table



Board ID	PCB Revision
0	0.1
1	
2	
3	
4	
5	
6	
7	

BTO Option Table

BTO Item	BOM Structure



PROJECT ID Table

Board ID	PROJECT
0	JALB0
1	
2	
3	
4	
5	JAWD0
6	
7	JALC0




Security Classification	Compal Secret Data			Compal Electronics, Inc.		
Issued Date	2008/03/25	Deciphered Date	2008/12/20	Title		
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number	401575	Rev D
				Date:	Tuesday, August 19, 2008	Sheet 4 of 45

PLACE CLOSE TO PROCESSOR
WITHIN 1.5 INCH



Processor DDR2 Memory Interface



Security Classification		Compal Secret Data		Title	
Issued Date	2008/03/25	Deciphered Date	2008/12/20	Document Number	401575
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE WRITTEN PERMISSION OF COMPAL ELECTRONICS, INC.				Rev D	45
Date: Tuesday, August 19, 2008				Sheet 5 of 45	



Security Classification		Compal Secret Data		Compal Electronics, Inc. SCHEMATICS, MB A4391	
Issued Date	2008/03/25	Deciphered Date	2008/12/20	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Doc Number	Rev D
				401575	
Date:				Tuesday, August 19, 2008	Sheet 6 of 45

VDD(+CPU_CORE) decoupling.

+CPU_CORE_0

C40
330U_X_2VM_R6M

C39
330U_X_2VM_R6M

+CPU_CORE_1

C36
330U_X_2VM_R6M

C37
330U_X_2VM_R6M

Near CPU Socket

+CPU_CORE_0

C184
22U_0805_6.3V6M

C208
22U_0805_6.3V6M

C189
22U_0805_6.3V6M

C205
22U_0805_6.3V6M

+CPU_CORE_1

C179
22U_0805_6.3V6M

C180
22U_0805_6.3V6M

C170
22U_0805_6.3V6M

C186
22U_0805_6.3V6M

+CPU_CORE_0

C198
0.22U_0603_16V4Z

C195
1U_0402_25V4Z

C196
180P_0402_50V8J


+CPU_CORE_1

C185
0.22U_0603_16V4Z

C167
1U_0402_25V4Z

C163
180P_0402_50V8J

Under CPU Socket



Under CPU Socket

Between CPU Socket and DIMM

180PF Qt'y follow the distance between CPU socket and DIMM0. <2.5inch>

NBO CAP





The diagram illustrates the VTT decoupling circuit for the CPU socket, showing the power supply and decoupling components for both the right and left sides of the socket.


Near Power Supply: A +0.9V supply is connected to a network of capacitors: C517 (220U_D2_4VM_R15), C510 (22U_0805_6.3V6M), and C515 (180P_0402_50V8J).

Near CPU Socket Right side: The +0.9V supply is connected to a series of capacitors: C407 (4.7U_0805_10V4Z), C406 (4.7U_0805_10V4Z), C411 (0.22U_0603_16V4Z), C412 (0.22U_0603_16V4Z), C156 (1000P_0402_25V8J), C155 (1000P_0402_25V8J), C154 (180P_0402_50V8J), and C157 (180P_0402_50V8J).

Near CPU Socket Left side: The +0.9V supply is connected to a series of capacitors: C499 (4.7U_0805_10V4Z), C498 (4.7U_0805_10V4Z), C491 (0.22U_0603_16V4Z), C492 (0.22U_0603_16V4Z), C478 (1000P_0402_25V8J), C485 (1000P_0402_25V8J), C479 (180P_0402_50V8J), and C486 (180P_0402_50V8J).


Security Classification		Compal Secret Data		Compal Electronics, Inc. SCHEMATICS, MB A4391	
Issued Date	2008/03/25	Deciphered Date	2008/12/20	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Date Tuesday, August 19, 2008	Rev D 45
				Document Number 401575	
				Date Tuesday, August 19, 2008	Sheet 7 of 45






DIMM1 REV H:9.2mm (BOT)

Security Classification		Compal Secret Data		Title	
Issued Date	2008/03/25	Deciphered Date	2008/12/20	Compal Electronics, Inc.	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number	Rev D
				401575	
				Date: Tuesday, August 19, 2008	Sheet 9 of 45



27 PCIE_PTX_C_IRX_P0
27 PCIE_PTX_C_IRX_N0




PCIE I/F GPP

26 PCIE_PTX_C_IRX_P2
26 PCIE_PTX_C_IRX_N2
24 PCIE_PTX_C_IRX_P3
24 PCIE_PTX_C_IRX_N3
23 PCIE_PTX_C_IRX_P4
23 PCIE_PTX_C_IRX_N4



PCIE I/F SB

17 SB_RX0P
17 SB_RX0N
17 SB_RX1P
17 SB_RX1N
17 SB_RX2P
17 SB_RX2N
17 SB_RX3P
17 SB_RX3N



PCE_CALRP(PCE_BCALRP)
PCE_CALRN(PCE_BCALRN)

RS780M_FCBGA528

RS780MN-SA00002DR30 Ver:A13

RS780M Display Port Support (muxed on GFX)


DP0	GFX_TX0,TX1,TX2 and TX3 AUX0 and HPD0
DP1	GFX_TX4,TX5,TX6 and TX7 AUX1 and HPD1

New Card




Minil

GLAN

Card Reader





HYPER TRANSPORT CPU I/F



RS780M_FCBGA528












RS780MN-SA00002DR30 Ver:A13









Security Classification		Compal Secret Data		Title	
Issued Date	2008/03/25	Deciphered Date	2008/12/20	Compal Electronics, Inc.	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPAL DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number	401575
				Date:	Tuesday, August 19, 2008
				Sheet	10 of 45

SCHEMATICS, MB A4391


Need check 140_0402_1% stock



RS780M_FCBGA528
RS780MN-SA00002DR30 Ver:A13




Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2008/03/25	Deciphered Date	2008/12/20	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number	401575
				Rev D	Rev D
				Date:	Tuesday, August 19, 2008
				Sheet	11 of 45




DFT_GPIO5:STRAP_DEBUG_BUS_GPIO_ENABLEb

Enables the Test Debug Bus using GPIO. (VSYNC)
1 : Disable (RS780)
0 : Enable (Rs780)




DFT_GPIO1: LOAD_EEPROM_STRAPS

Selects Loading of STRAPS from EPROM
1 : Bypass the loading of EEPROM straps and use Hardware Default Values
0 : I2C Master can load strap values from EEPROM if connected, or use default values if not connected
RS740/RX780: DFT_GPIO1 RS780:SUS_STAT






RS780 use HSYNC to enable SIDE PORT


RS740/RS780: Enables Side port memory (RS780 use HSYNC#)
0, Enable (RS780)
1 : Disable(RS780)



LCD POWER CIRCUIT




LCD/PANEL BD. Conn.








Security Classification				Compal Secret Data				Compal Electronics, Inc.			
Issued Date				Deciphered Date				Title			
2008/03/25				2008/12/20				SCHEMATICS, MB A4391			
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number				Rev D			
				401575							
				Date: Tuesday, August 19, 2008				Sheet 15 of 45			



CRT Connector



Security Classification		Compal Secret Data				Compal Electronics, Inc.			
Issued Date		2008/03/25		Deciphered Date		2008/12/20		Title	
								SCHEMATICS, MB A4391	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.						Document Number		Rev D	
						401575			
Date:						Tuesday, August 19, 2008		Sheet 16 of 45	



SCL 1.0 suggest NC



SB700

Part 1 of 5

PCI EXPRESS INTERFACE

PCI INTERFACE



CLOCK GENERATOR

RTC XTAL

LPC

CPU





RTC




Security Classification			Compal Secret Data			Title		
Issued Date	2008/03/25	Deciphered Date	2008/12/20	Rev	1	Compal Electronics, Inc.		
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.						Document Number	401575	Rev D
						Date:	Tuesday, August 19, 2008	Sheet 17 of 45

SCHEMATICS, MB A4391



Close to U10 side



Port Number	Pri/SEC,Mas/Slave assignment	SATA drive controlled by
Port 0	Primary master	SATA controller
Port 1	Secondary master	SATA controller
Port 2	Primary slave	SATA controller
Port 3	Secondary slave	SATA controller
Port 4	Primary (Secondary) master	PATA controller
Port 5	Primary (Secondary) slave	PATA controller



FOR Version A11 pop 1.2VALW, A12 use 1.2V_HT



Security Classification		Compal Secret Data		Title	
Issued Date	2008/03/25	Deciphered Date	2008/12/20	Document Number	401575
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Rev D	Rev D
Date: Tuesday, August 19, 2008				Sheet	20 of 45

Compal Electronics, Inc.

SCHEMATICS, MB A4391


401575

Sheet 20 of 45

REQUIRED STRAPS

NOTE: SB700 HAS INTERNAL 15K PULL UP RESISTOR FOR RTC_CLK


	PCI_CLK2	PCI_CLK3	PCI_CLK4	PCI_CLK5	LPC_CLK0 CLK_PCI_EC	LPC_CLK1	RTC_CLK	AZ_RST_CD#	GP17	GP16
PULL HIGH	BOOTFAIL TIMER ENABLED	USE DEBUG STRAPS	RESERVED	RESERVED	ENABLE PCI MEM BOOT	CLKGEN ENABLED	INTERNAL RTC DEFAULT	EC ENABLED	Internal pull up H,H = Reserved H,L = SPI ROM	L,H = LPC ROM (Default L,NC) L,L = FWH ROM
PULL LOW	BOOTFAIL TIMER DISABLED DEFAULT	IGNORE DEBUG STRAPS DEFAULT			DISABLE PCI MEM BOOT DEFAULT	CLKGEN DISABLED DEFAULT	EXT. RTC (PD on X1, apply 32KHz to RTC_CLK)	EC DISABLED DEFAULT		



DEBUG STRAPS



SB700 HAS 15K INTERNAL PU FOR PCI_AD[28:23]

	PCI_AD28	PCI_AD27	PCI_AD26	PCI_AD25	PCI_AD24	PCI_AD23
PULL HIGH	USE LONG RESET DEFAULT	USE PCI PLL DEFAULT	USE ACPI BCLK DEFAULT	USE IDE PLL DEFAULT	USE DEFAULT PCIE STRAPS DEFAULT	RESERVED
PULL LOW	USE SHORT RESET	BYPASS PCI PLL	BYPASS ACPI BCLK	BYPASS IDE PLL	USE EEPROM PCIE STRAPS	



SATA ODD Conn.



Close to Conn side



change footprint to Ring 5mm



SATA HDD Conn.

Close to Conn side




(JAL90 use)

Security Classification	Compal Secret Data			Compal Electronics, Inc.		
Issued Date	2008/03/25	Deciphered Date	2008/12/20	Title	SCHEMATICS, MB A4391	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Rev B	Document Number 401575	Rev D
				Date:	Tuesday, August 19, 2008	Sheet 22 of 45



Memory Card Power Switch




For EMI
402_50V8K




**C0/B0 both remove 2061
check Frank**

Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2008/03/25	Deciphered Date	2008/12/20	Title	SCHEMATICS, MB A4391
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number
				Customer	401575
				Date:	Tuesday, August 19, 2008
				Sheet	23 of 45

LAN RTL8111C/8102E




Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2008/03/25	Deciphered Date	2008/12/20	Title	SCHEMATICS, MB A4391
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.					
Rev	D	Document Number	401575	Rev	D
Date:	Tuesday, August 19, 2008	Sheet	24	of	45



For EMI



Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2008/03/25	Deciphered Date	2008/12/20	Title	SCHEMATICS, MB A4391
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number	401575
				Date:	Tuesday, August 19, 2008
				Sheet	25 of 45

For Wireless LAN



Mini Card Power Rating			
Power	Primary Power (mA)		Auxiliary Power (mA)
	Peak	Normal	Normal
+3VS	1000	750	
+3V	330	250	250 (wake enable)
+1.5VS	500	375	5 (Not wake enable)



Bluetooth Conn.








for 線材, 7, 8pin不打

Security Classification	Compal Secret Data			Compal Electronics, Inc.	
Issued Date	2008/03/25	Deciphered Date	2008/12/20	Title	SCHMATIC, MB A4391
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Rev D	401575
Date:	Tuesday, August 19, 2008	Sheet	26	of	45


New Card Power Switch





New Card Socket (Left/TOP)



Security Classification				Compal Secret Data				Compal Electronics, Inc.			
Issued Date				Deciphered Date				Title			
2008/03/25				2008/12/20				SCHEMATICS, MB A4391			
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Rev D				Document Number			
								401575			
								Date: Tuesday, August 19, 2008			
								Sheet 27 of 45			






Reserved for BIOS simulator.
Footprint SO8


INT_KBD Conn.

(Left)




(Right)

















ACES_88747-2601
CONN@



To TP/B Conn.



Security Classification	Compal Secret Data			Compal Electronics, Inc.	
Issued Date	2008/03/25	Deciphered Date	2008/12/20	Title	SCHEMATICS, MB A4391
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number	401575
				Date:	Tuesday, August 19, 2008
				Sheet	29 of 45





KSO0	
KSI1	Wireless BTN
KSI2	BT BTN
KSI3	Volume UP
KSI4	Volume DOWM
KSI5	e-Key BTN
KSI6	

Security Classification	Compal Secret Data			Compal Electronics, Inc.		
Issued Date	2008/03/25	Deciphered Date	2008/12/20	Title	SCHEMATICS, MB A4391	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size Custom	Document Number 401575	Rev D
				Date:	Tuesday, August 19, 2008	Sheet 30 of 45


Power Button

ON/OFF switch



**HDA MDC Conn.**

Power ON Circuit


For South Bridge






For +1.2HT









Security Classification	Compal Secret Data			Compal Electronics, Inc.		
Issued Date	2008/03/25	Deciphered Date	2008/12/20	Title	SCHEMATICS, MB A4391	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF THE DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Doc No	Document Number	Rev D
					401575	
Date: Tuesday, August 10, 2008				Sheet	31	of 35










HD Audio Codec



Sense Pin	Impedance	Codec Signals
SENSE A	39.2K	PORT-A (PIN 39, 41)
	20K	PORT-B (PIN 21, 22)
	10K	PORT-C (PIN 23, 24)
	5.1K	PORT-D (PIN 35, 36)
SENSE B	39.2K	PORT-E (PIN 14, 15)
	20K	PORT-F (PIN 16, 17)
	10K	PORT-G (PIN 43, 44)
	5.1K	PORT-H (PIN 45, 46)




Security Classification	Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2008/03/25	Deciphered Date	2008/12/20	Title
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number
				401575
				Rev D
				Date: Tuesday, August 19, 2008
				Sheet 32 of 45





Security Classification	Compal Secret Data			Compal Electronics, Inc.		
Issued Date	2008/03/25	Deciphered Date	2008/12/20	Title	SCHEMATICS, MB A4391	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number	401575	Rev D
				Date:	Tuesday, August 19, 2008	Sheet 34 of 45

FAN1 Conn




Change to SC1BAS16000

EMI solution




Security Classification	Compal Secret Data			Compal Electronics, Inc.	
Issued Date	2008/03/25	Deciphered Date	2008/12/20	Title	SCHEMATICS, MB A4391
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.					Rev D
Document Number 401575					Date: Tuesday, August 19, 2008
Sheet 35 of 45					



DC231000500



RTC Battery












SP093MX0000





Vin Detector

	Min.	Typ	Max.
H-->L	16.976V	17.525V	17.728V
L-->H	17.430V	17.901V	18.384V





Security Classification	Compal Secret Data			Compal Electronics, Inc.	
Issued Date	2007/12/20	Deciphered Date	2008/12/20	Title	SCHEMATICS, MB A4391
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.					Document Number
					401575
					Rev D
					Date: Tuesday, August 19, 2008
					Sheet 36 of 45


PH1 under CPU botten side :
CPU thermal protection at 92 degree C
Recovery at 56 degree C



PH2 near main Battery CONN :
BAT. thermal protection at 92 degree C
Recovery at 56 degree C




Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2007/12/20	Deciphered Date	2008/12/20	Title	SCHEMATICS, MB A4391
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number	401575
				Date:	Tuesday, August 19, 2008
				Sheet	37 of 45




+3.3VALWP Ipeak=8.444A ; Imax=5.91A
 Rds(on)=18m ohm(max) ; Rds(on)=15m ohm(typical)
 Vlimit=(5E-06 * 330K)/10=165mV
 Ilimit=165mV/18m ~ 165mV/15m
 =9.167A ~ 11A
 Iocp=Ilimit+Delta I/2
 =10.134A ~ 11.967A
 Delta I=1.934A (Freq=400KHz)

+5VALWP Ipeak=8.444A ; Imax=5.91A
 Rds(on)=18m ohm(max) ; Rds(on)=15m ohm(typical)
 Vlimit=(5E-06 * 330K)/10=165mV
 Ilimit=165mV/18m ~ 165mV/15m
 =9.167A ~ 11A
 Iocp=Ilimit+Delta I/2
 =10.147A ~ 11.980A
 Delta I=1.96A (Freq=400KHz)


Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2007/12/20	Deciphered Date	2008/12/20	Title	SCHEMATICS, MB A4391
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number	401575
				Date	Tuesday, August 19, 2008
				Sheet	38 of 45



$I_{charge} = (V_{rset}/V_{dca}) * (0.1/PR36)$
 90W adapter
 $I_{adapter} = (V_{acset}/V_{dca}) * (0.1/PR48) = 4.04A$
 65W adapter
 $I_{adapter} = (V_{acset}/V_{dca}) * (0.1/PR48) = 2.90A$
 Input OVP : 22.3V
 Input UVP : 17.26V
 Fsw : 300KHz



LI-3S :13.5V---BATT-OVP=1.5V
 LI-4S :18V---BATT-OVP=1.998V
 BATT-OVP=0.111*BATT+




Charger ADJ	Calibrate#	PR80	PR85
4.0V	L	@	0
4.1V	L	887K	221K
4.2V	H	887K	221K

Security Classification		Compal Secret Data	
Issued Date	2007/12/20	Deciphered Date	2008/12/20
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.			

Compal Electronics, Inc.			
SCHEMATICS, MB A4391			
Document Number	401575	Rev	D
Date:	Tuesday, August 19, 2008	Sheet	39 of 45

Freq=366KHz
Rfset=1/(1.5E-10 * Freq)=18.2K

WWW.AliSaler.Com



Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2007/12/20	Deciphered Date	2008/12/20	Title	SCHEMATICS, MB A4391
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number	401575
				Date:	Tuesday, August 19, 2008
				Sheet	42 of 45

Version change list (P.I.R. List)

Page 1 of 2
for PWR

Item	Fixed Issue	Reason for change	Rev.	PG#	Modify List	Date	Phase
1	Add NB_CORE B+ circuit	NB_CORE B+ 加強	0.1	40	Add PL14 SM010016410 (S SUPPRE_ KC FBMA-L11-322513-151LMA50T)	20080506	PVT
2	Modify the circuit for Vin dectector	BOM modify	0.1	36	Cahnge PR122 SD028100280(S RES 1/16W 10K +-5% 0402) to PR126 SD028100280(S RES 1/16W 10K +-5% 0402)	20080506	PVT
3	1.1V circuit change	For debug	0.1	41	Add PU8 SA000015410 (S I C APL5912-KAC-TRL SO 8P LDO)	20080506	PVT
4	1.1V circuit change	For debug	0.1	41	Add PC102 SE000000K80(S CER CAP 1U 6.3V K X5R 0402)	20080506	PVT
5	1.1V circuit change	For debug	0.1	41	Add PC103 SE093475K80 (S CER CAP 4.7U 6.3V K X5R 0805 H1.25)	20080506	PVT
6	1.1V circuit change	For debug	0.1	41	Add PC104 SE075103K80 (S CER CAP .01U 25V K X7R 0402)	20080506	PVT
7	1.1V circuit change	For debug	0.1	41	Add PC105 SE000000I10 (S CER CAP 22UF 6.3V M X5R 0805 H1.25)	20080506	PVT
8	1.1V circuit change	For debug	0.1	41	Add PC106 SE000000K80 (S CER CAP 1U 6.3V K X5R 0402)	20080506	PVT
9	1.1V circuit change	For debug	0.1	41	Add PR122 SD034120280 (S RES 1/16W 12K +-1% 0402)	20080506	PVT
10	1.1V circuit change	For debug	0.1	41	Add PR123 SD034115180 (S RES 1/16W 1.15K +-1% 0402)	20080506	PVT
11	1.1V circuit change	For debug	0.1	41	Add PR124 SD034300180 (S RES 1/16W 3K +-1% 0402)	20080506	PVT
12	NB_CORE low side MOS change	BOM modify	0.1	40	Cahnge PQ24 SB00000AJ00(S TR AO4712 1N SO8) to SB000004T80(S TR FDS6670AS_NL 1N SO8)	20080506	PVT
13	1.8V low side MOS change	BOM modify	0.1	41	Cahnge PQ27 SB00000AJ00(S TR AO4712 1N SO8) to SB000004T80(S TR FDS6670AS_NL 1N SO8)	20080506	PVT
14	1.1V circuit change	BOM modify	0.1	41	Cahnge PL8 SH000009180 (S COIL 1UH +-30% MSCDRI -104RD-1R0N 11A) to SH000009180 (S COIL 1UH +-30% MSCDRI -104RD-1R0N 11A)	20080506	PVT
15	1.2V circuit change	For 0 degree not boot issue	0.1	40	Add PR185 SD013100180 (S RES 1/10W 1K +-5% 0603)	20080512	PVT
16							
17							
18							
19							
20							
21							
22							
23							

Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2007/09/20	Deciphered Date	2008/12/20	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF RESEARCH AND DEVELOPMENT DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number	401575
				Date:	Tuesday, August 19, 2008
				Sheet	44 of 45

NO	DATE	PAGE	MODIFICATION LIST	NO	DATE	PAGE	MODIFICATION LIST
3/15		P.06	Modify CPU DTS function Add R562,R565 Pop R344,R348,C410,Q32,Q33 Un-pop R560,R561,R563,R564 Change R345,R346 to 2.2K_0402	5/6			Update PW circuit
						P.06	Un-pop R344,R348,C410,Q32,Q33,R562,R565,R335 Remove R560,R563
		P.11	Change R55 to 140_0402_1% Un-pop Q2,R86,Q49,R411 Pop R85,R553			P.14	Change U15 clockgen to Silego ()
						P.24	Un-pop U39,C670 Change R532 to L79 (SM010005480)
		P.12	Change C95,C139,C129,C44 to 22u_0805 Pop L1,L2			P.35	Add R569, C678
						P.28	Change U16 to version:D1 (SA00001J550)
		P.16	Change R66 to 140_0402_1%			P.06	Add R570
		P.19	Change R550 to 4.7K_0402			P.22	Change JSATA1 footprint
		P.21	Change R87 to 2.2K_0402	5/6		P.12	Change L3 to R571, 0_0805
		P.26	Add R566	5/12			Update PW circuit
		P.32	Change R459,R460,R457,R458 to 1K_0402_1%			P.09	Add C679, C680
		P.34	Change R242 to 10K_0402	5/13		P.14	Add D39 for ESD
3/18		P.28	Pop R559			P.35	Add C681,C682,C683,C684,C685,C686 for EMI
		P.12	Change C15,C16,C17,C18 to 22u_0805			P.35	H4 become NPTH
		P.18	Pop R558			P.09	Udate PW circuit Add C687
3/19			Upgrade PW circuit	5/13		P.33	JHP1,JLINE1,JMIC1-->pin7,8 connect to AGND for ESD
		P.07	Change C195,C167 to 0402 package				
3/21		P.14	Change U15 to SA000023H10	6/02		P.22	Reserve C688,C689
		P.11	Change C29 to 22u_0805				Update PW circuit
3/24		P.18	Change BT USB from port6 to port9.	6/10		P.23	Add C690 for EMI
		P.15	Add R567,R568,C677 Remove C357			P.24	Change C653~C656 to 100p for EMI
						P.35	Change C681 to 330p for EMI Pop C683 for EMI
3/25		P.27	Pop L29,L30 Un-pop R139,R136,R143,R146			P.19	Change R550 to 10K
						P.12	Un-pop L1,L2
		P.24	Change R542 to Bead (SM010005480)			P.28	Change U16 to version C0 (SA00001J540) Pop R226 Change R512 to 18K
3/26			Update some notice			P.29	Del U19 Pop U18 (128K--SA00002C100)
						P.19	Pop SB SPI ROM (R547,C675,R549,R548,R550,U40)
				7/1		P.24	Change L79 to 0_0805_5% Resistance
						P.31	Un-pop SW9