

# COMPAL CONFIDENTIAL

MODEL NAME : **BDW00**

COMPAL P/N : **DA8DW00L100**

PCB NO : **LA-1452**

Revision : **1.0**

DATE :

## Abacus/TangII Schematics Document

### uFCBGA/uFCPGA Northwood

2002-11-26

REV: 1.0

Dell-Compal Confidential


Compal Electronics, Inc.

Title		
Cover Sheet		
Size	Document Number	Rev
	Abacus/TangII LA-1452	1.0
Date:	Tuesday, November 26, 2002	Sheet 1 of 46

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT THE PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Model Name : ABACUS/TangII

File Name : LA-1452



Dell-Compal Confidential

Compal Electronics, Inc.			
Block Diagram			
Title	Document Number	Abacus/TangII LA-1452	Rev 1.0
Date	Tuesday, November 26, 2002	Sheet 2 of 46	

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT WITHOUT THE AUTHORIZATION OF COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE REPRODUCED, COPIED, OR IN ANY MANNER DISCLOSED TO ANY THIRD PARTY WITHOUT THE PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

## Revision List

	Schematics Rev	PCB Rev	CHIPS Rev
SST-Build	0.1	0.1	
PT-Build	0.2	0.2	845PE Rev B0 845GL Rev B1 ICH4 Rev B0
ST-Build			
QT-Build			

## Ceramic Capacitor Spec Guide:

## Temperature Characteristics:

Symbol	0	1	2	3	4	5	6	7
CODE	Z5U	Z5V	Z5P	Y5U	Y5V	Y5P	X5R	X7R

8	9	A	B	C	D	E	F	G
NP0	C0G		BJ	CH	CJ	CK	SH	SJ

H	I	J	
UJ	UK	SL	

## Tolerance:

Symbol	A	B	C	D	F	G	H	J
CODE	+/-0.05PF	+/-0.1PF	+/-0.25PF	+/-0.5PF	+/-1PF	+/-2%	+/-3%	+/-5%

K	M	N	P	Q	V	X	Z	
+/-10%	+/-20%	+/-30%	+100,-0%	+30,-10%	+20,-10%	+40,-20%	+80,-20%	

## SMBUS Control Table

	SOURCE	INVERTER	BATT	SERIAL EEPROM	THERMAL SENSOR (CPU) (U57)	THERMAL SENSOR (U25/U23)	SODIMM	CLK CHIP	MINI PCI
SMB_EC_CK1 SMB_EC_DA1	NS 87591	✓	✓	✓ (1010)	✗	✗	✗	✗	✗
SMB_EC_CK2 SMB_EC_DA2	NS 87591	✗	✗	✗	✓	✓	✗	✗	✗
SMB_CLK SMB_DATA	ICH4	✗	✗	✗	✗	✗	✓	✓	✓

## Power Managment table

Signal State	+3VALW +5VALW +12VALW	+3V +5V +2.5V	+3VS +5VS +1.5VS +1.2VP +CPU_CORE +1.25VS
S0	ON	ON	ON
S1	ON	ON	ON
S3	ON	ON	OFF
S5 S4/AC	ON	OFF	OFF
S5 S4/AC don't exist	OFF	OFF	OFF

## NOTE1:

@XX : Depop component

1@XX : Pop for INT, Depop for EXT


2@XX : Pop for EXT, Depop for INT

Dell-Compal Confidential

Compal Electronics, Inc.

Note & Revision		
Title		
Size	Document Number	Rev
	Abacus/Tangli LA-1452	1.0
Date:	Tuesday, November 26, 2002	Sheet 3 of 46

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT THE PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.





Dell-Compal Confidential

Compal Electronics, Inc.

Title			
POWER DIAGRAM			
Size	Document Number	Rev	
	Abacus/TangII LA-1452	1.0	
Date:	Tuesday, November 26, 2002	Sheet	4 of 46

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS







### Layout note :

Place close to CPU, Use 2-3 vias per PAD.  
Place .22uF caps underneath balls on solder side.  
Place 10uF caps on the peripheral near balls.  
Use 2-3 vias per PAD.


Please place these cap in the socket cavity area



Please place these cap on the socket north side



Please place these cap on the socket south side



### Layout note :

Place close to CPU power and ground pin as possible (<1inch)


### For Desktop's CPU:

ESR total=0.75m ohm  
C total=6350uF



### For Mobile's CPU:

ESR total=1.875m ohm  
C total=2590uF


### For DT



### PLACE ON CPU SIDE



### Fan2 Control circuit






Dell-Compal Confidential

Compal Electronics, Inc.

CPU Decoupling CAP. & Fan control

Size	Document Number	Rev
Customer	Abacus/TangII LA-1452	1.0
Date:	Tuesday, November 26, 2002	Sheet 7 of 46

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.



	Mobile CPU					Desktop CPU				
MO/DT_CPU	1					0				
VID	4	3	2	1	0	4	3	2	1	0
VCC										
1.750V	0	0	0	0	0	0	0	1	0	0
1.700V	0	0	0	0	1	0	0	1	1	0
1.650V	0	0	0	1	0	0	1	0	0	0
1.600V	0	0	0	1	1	0	1	0	1	0
1.550V	0	0	1	0	0	0	1	1	0	0
1.500V	0	0	1	0	1	0	1	1	1	0
1.450V	0	0	1	1	0	1	0	0	0	0
1.400V	0	0	1	1	1	1	0	0	1	0
1.350V	0	1	0	0	0	1	0	1	0	0
1.300V	0	1	0	0	1	1	0	1	1	0
1.250V	0	1	0	1	0	1	1	0	0	0
1.200V	0	1	0	1	1	1	1	0	1	0
1.150V	0	1	1	0	0	1	1	1	0	0
1.100V	0	1	1	0	1	1	1	1	1	0
1.050V	0	1	1	1	0	X	X	X	X	X
1.000V	0	1	1	1	1	X	X	X	X	X
0.975V	1	0	0	0	0	X	X	X	X	X
0.950V	1	0	0	0	1	X	X	X	X	X
0.925V	1	0	0	1	0	X	X	X	X	X
0.900V	1	0	0	1	1	X	X	X	X	X
0.875V	1	0	1	0	0	X	X	X	X	X
0.850V	1	0	1	0	1	X	X	X	X	X
0.825V	1	0	1	1	0	X	X	X	X	X
0.800V	1	0	1	1	1	X	X	X	X	X
0.775V	1	1	0	0	0	X	X	X	X	X
0.750V	1	1	0	0	1	X	X	X	X	X
0.725V	1	1	0	1	0	X	X	X	X	X
0.700V	1	1	0	1	1	X	X	X	X	X
0.675V	1	1	1	0	0	X	X	X	X	X
0.650V	1	1	1	0	1	X	X	X	X	X
0.625V	1	1	1	1	0	X	X	X	X	X
0.600V	1	1	1	1	1	X	X	X	X	X
VRM output off						1	1	1	1	1

Dell-Compal Confidential

COMPAL Electronics, Inc.

Title CPU VID &amp; ITP PORT

Size Document Number

Custom Abacus/Tangli LA-1452

Date: Tuesday, November 26, 2002

Sheet 8 of 46

Rev 1.0

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.



HD#[0..63] <5>  
HA#[3..31] <5>

<12> DDR\_SDQ[0..63] <5>  
<12> DDR\_SDO[0..7] <5>  
<12> DDR\_SDM[0..7] <5>  
<12,13> DDR\_SMA[0..12] <5>

U12A

**BROOKDALE-GL/PE**  
HOST\_HUB

HD#0 T30  
HD#1 R33  
HD#2 R34  
HD#3 N34  
HD#4 R31  
HD#5 L31  
HD#6 L36  
HD#7 P36  
HD#8 J36  
HD#9 K36  
HD#10 K36  
HD#11 M30  
HD#12 M35  
HD#13 L34  
HD#14 K36  
HD#15 H36  
HD#16 G36  
HD#17 J33  
HD#18 D36  
HD#19 F36  
HD#20 F36  
HD#21 E36  
HD#22 H34  
HD#23 F36  
HD#24 D36  
HD#25 H36  
HD#26 H36  
HD#27 E33  
HD#28 E34  
HD#29 B33  
HD#30 G33  
HD#31 C36  
HD#32 D33  
HD#33 D36  
HD#34 D36  
HD#35 E31  
HD#36 D32  
HD#37 B34  
HD#38 C34  
HD#39 D31  
HD#40 G29  
HD#41 C34  
HD#42 B33  
HD#43 B33  
HD#44 B30  
HD#45 B29  
HD#46 E22  
HD#47 C26  
HD#48 B27  
HD#49 D26  
HD#50 D26  
HD#51 B26  
HD#52 G27  
HD#53 H26  
HD#54 B25  
HD#55 B23  
HD#56 B23  
HD#57 E23  
HD#58 C22  
HD#59 G26  
HD#60 B22  
HD#61 D24  
HD#62 D24  
HD#63 G22

HDSTBP0#  
HDSTBP1#  
HDSTBP2#  
HDSTBP3#  
HDSTBN0#  
HDSTBN1#  
HDSTBN2#  
HDSTBN3#  
H\_RESET#  
CLK\_MCH\_BCLK  
CLK\_MCH\_BCLK#  
MCH\_GTLREF  
H\_RESET#  
CLK\_MCH\_BCLK  
CLK\_MCH\_BCLK#  
H\_RESET#  
CLK\_MCH\_BCLK  
CLK\_MCH\_BCLK#  
MCH\_GTLREF

H31  
H32  
H33  
H34  
H35  
H36  
H37  
H38  
H39  
H40  
H41  
H42  
H43  
H44  
H45  
H46  
H47  
H48  
H49  
H50  
H51  
H52  
H53  
H54  
H55  
H56  
H57  
H58  
H59  
H60  
H61  
H62  
H63

H31  
H32  
H33  
H34  
H35  
H36  
H37  
H38  
H39  
H40  
H41  
H42  
H43  
H44  
H45  
H46  
H47  
H48  
H49  
H50  
H51  
H52  
H53  
H54  
H55  
H56  
H57  
H58  
H59  
H60  
H61  
H62  
H63

H31  
H32  
H33  
H34  
H35  
H36  
H37  
H38  
H39  
H40  
H41  
H42  
H43  
H44  
H45  
H46  
H47  
H48  
H49  
H50  
H51  
H52  
H53  
H54  
H55  
H56  
H57  
H58  
H59  
H60  
H61  
H62  
H63

H31  
H32  
H33  
H34  
H35  
H36  
H37  
H38  
H39  
H40  
H41  
H42  
H43  
H44  
H45  
H46  
H47  
H48  
H49  
H50  
H51  
H52  
H53  
H54  
H55  
H56  
H57  
H58  
H59  
H60  
H61  
H62  
H63

H31  
H32  
H33  
H34  
H35  
H36  
H37  
H38  
H39  
H40  
H41  
H42  
H43  
H44  
H45  
H46  
H47  
H48  
H49  
H50  
H51  
H52  
H53  
H54  
H55  
H56  
H57  
H58  
H59  
H60  
H61  
H62  
H63

H31  
H32  
H33  
H34  
H35  
H36  
H37  
H38  
H39  
H40  
H41  
H42  
H43  
H44  
H45  
H46  
H47  
H48  
H49  
H50  
H51  
H52  
H53  
H54  
H55  
H56  
H57  
H58  
H59  
H60  
H61  
H62  
H63

W31 HA#3  
AA33 HA#4  
AB30 HA#5  
Y34 HA#6  
Y36 HA#7  
AC33 HA#8  
Y35 HA#9  
AA36 HA#10  
AC34 HA#11  
Y34 HA#12  
AB36 HA#13  
AC36 HA#14  
AC31 HA#15  
AF35 HA#16  
AD36 HA#17  
AD35 HA#18  
AE34 HA#19  
AD34 HA#20  
AE36 HA#21  
AF36 HA#22  
AE33 HA#23  
AF34 HA#24  
AG34 HA#25  
AG36 HA#26  
AG36 HA#27  
AH35 HA#28  
AG35 HA#29  
AG33 HA#30  
AG31 HA#31

HADSTB0# <6>  
HADSTB1# <6>

HIT# <5>  
HITM# <5>  
AD35# <5>  
BNR# <5>  
BPRI# <5>  
BREQ# <5>  
DBSY# <6>  
DEFER# <5>  
DRDY# <6>  
H\_LOCK# <5>

H\_DBH3# <6>  
H\_DBH2# <6>  
H\_DBH1# <6>  
H\_DBH0# <6>

H\_REQ#0 <5>  
H\_REQ#1 <5>  
H\_REQ#2 <5>  
H\_REQ#3 <5>  
H\_REQ#4 <5>

H10  
H11  
H12  
H13  
H14  
H15  
H16  
H17  
H18  
H19  
H20

H10  
H11  
H12  
H13  
H14  
H15  
H16  
H17  
H18  
H19  
H20

H10  
H11  
H12  
H13  
H14  
H15  
H16  
H17  
H18  
H19  
H20

H10  
H11  
H12  
H13  
H14  
H15  
H16  
H17  
H18  
H19  
H20

H10  
H11  
H12  
H13  
H14  
H15  
H16  
H17  
H18  
H19  
H20

H10  
H11  
H12  
H13  
H14  
H15  
H16  
H17  
H18  
H19  
H20

H10  
H11  
H12  
H13  
H14  
H15  
H16  
H17  
H18  
H19  
H20

H10  
H11  
H12  
H13  
H14  
H15  
H16  
H17  
H18  
H19  
H20

Layout note :  
1. HX\_RCOMP, HY\_RCOMP Trace width 10 mil.  
2. Terminator Max 500 mil.

U12B

DDR SDQ0 AN4  
DDR SDQ1 AP2  
DDR SDQ2 AT2  
DDR SDQ3 AP5  
DDR SDQ4 AN2  
DDR SDQ5 AP3  
DDR SDQ6 AP3  
DDR SDQ7 AR4  
DDR SDQ8 AT5  
DDR SDQ9 AR6  
DDR SDQ10 AT9  
DDR SDQ11 AR10  
DDR SDQ12 AT6  
DDR SDQ13 AP6  
DDR SDQ14 AT8  
DDR SDQ15 AP8  
DDR SDQ16 AP10  
DDR SDQ17 AT11  
DDR SDQ18 AT13  
DDR SDQ19 AT14  
DDR SDQ20 AT12  
DDR SDQ21 AR12  
DDR SDQ22 AR14  
DDR SDQ23 AP14  
DDR SDQ24 AT15  
DDR SDQ25 AP16  
DDR SDQ26 AT18  
DDR SDQ27 U33  
DDR SDQ28 AR16  
DDR SDQ29 AT16  
DDR SDQ30 AR18  
DDR SDQ31 AR20  
DDR SDQ32 AR22  
DDR SDQ33 AP22  
DDR SDQ34 AP24  
DDR SDQ35 AT26  
DDR SDQ36 AT22  
DDR SDQ37 AT23  
DDR SDQ38 AT25  
DDR SDQ39 AR26  
DDR SDQ40 AP28  
DDR SDQ41 AR30  
DDR SDQ42 AR30  
DDR SDQ43 AP30  
DDR SDQ44 AT27  
DDR SDQ45 AR28  
DDR SDQ46 AT30  
DDR SDQ47 AT31  
DDR SDQ48 AR32  
DDR SDQ49 AR32  
DDR SDQ50 AR36  
DDR SDQ51 AP35  
DDR SDQ52 AP32  
DDR SDQ53 AT33  
DDR SDQ54 AP34  
DDR SDQ55 AT35  
DDR SDQ56 AN36  
DDR SDQ57 AN36  
DDR SDQ58 AP36  
DDR SDQ59 AP36  
DDR SDQ60 AP36  
DDR SDQ61 AK35  
DDR SDQ62 AK35  
DDR SDQ63 AK34

**BROOKDALE-GL/PE**  
DDR

BROOKDALE-GL/PE\_760P

SMAA12/BS0  
SMAA11/DQ58  
SMAA10/DQ31  
SMAA9/SMA3  
SMAA8/SMA4  
SMAA7/SMA6  
SMAA6/SDQ29  
SMAA5/SMA8  
SMAA4/SMA11  
SMAA3/SMA7  
SMAA2/SMA9  
SMAA1/SDQ19  
SMAA0/SMA12  
SMA5  
SMA4  
SMA3  
SMA2  
SMA1  
SBA1  
SBA0  
SDQ0  
SDQ1  
SDQ2  
SDQ3  
SDQ4  
SDQ5  
SDQ6  
SDQ7  
SDM0  
SDM1  
SDM2  
SDM3  
SDM4  
SDM5  
SDM6  
SDM7  
SCKE3/SCK5  
SCKE2/RSVD  
SCKE1/SDQ58  
SCKE0/RSVD  
SCS#0/SCKE2  
SCS#1/RSVD  
SCS#2/SCK#2  
SCS#3/SCA5  
SRAS#/SCKE0  
SCAS#/RSVD  
SWE#/SDQ5  
SRVCEN\_OUT#  
SRVCEN\_IN#  
SMY\_RCOMP  
SM\_VREF

AL13  
AK14  
AN13  
AP13  
AL29  
AP31  
AK30  
AN31  
AK28  
AN29  
AP29  
AK24  
AL23  
AJ34  
AM2

AL13  
AK14  
AN13  
AP13  
AL29  
AP31  
AK30  
AN31  
AK28  
AN29  
AP29  
AK24  
AL23  
AJ34  
AM2

AL13  
AK14  
AN13  
AP13  
AL29  
AP31  
AK30  
AN31  
AK28  
AN29  
AP29  
AK24  
AL23  
AJ34  
AM2

AL13  
AK14  
AN13  
AP13  
AL29  
AP31  
AK30  
AN31  
AK28  
AN29  
AP29  
AK24  
AL23  
AJ34  
AM2

AL13  
AK14  
AN13  
AP13  
AL29  
AP31  
AK30  
AN31  
AK28  
AN29  
AP29  
AK24  
AL23  
AJ34  
AM2

AL13  
AK14  
AN13  
AP13  
AL29  
AP31  
AK30  
AN31  
AK28  
AN29  
AP29  
AK24  
AL23  
AJ34  
AM2

DDR CLK3# <13>  
DDR CLK4# <13>  
DDR CLK5# <13>  
DDR SMA12  
DDR SMA11  
DDR SMA10  
DDR SMA9  
DDR SMA8  
DDR SMA7  
DDR SMA6  
DDR SMA5  
DDR SMA4  
DDR SMA3  
DDR SMA2  
DDR SMA1  
DDR SBA1  
DDR SBA0  
DDR SDQ0  
DDR SDQ1  
DDR SDQ2  
DDR SDQ3  
DDR SDQ4  
DDR SDQ5  
DDR SDQ6  
DDR SDQ7  
DDR SDM0  
DDR SDM1  
DDR SDM2  
DDR SDM3  
DDR SDM4  
DDR SDM5  
DDR SDM6  
DDR SDM7  
DDR SCKE3  
DDR SCKE2  
DDR SCKE1  
DDR SCKE0  
DDR SCS#0  
DDR SCS#1  
DDR SCS#2  
DDR SCS#3  
DDR SRAS#  
DDR SCAS#  
DDR SWE#  
DDR RDCLKI  
DDR RDCLKO

DDR CLK3# <13>  
DDR CLK4# <13>  
DDR CLK5# <13>  
DDR SMA12  
DDR SMA11  
DDR SMA10  
DDR SMA9  
DDR SMA8  
DDR SMA7  
DDR SMA6  
DDR SMA5  
DDR SMA4  
DDR SMA3  
DDR SMA2  
DDR SMA1  
DDR SBA1  
DDR SBA0  
DDR SDQ0  
DDR SDQ1  
DDR SDQ2  
DDR SDQ3  
DDR SDQ4  
DDR SDQ5  
DDR SDQ6  
DDR SDQ7  
DDR SDM0  
DDR SDM1  
DDR SDM2  
DDR SDM3  
DDR SDM4  
DDR SDM5  
DDR SDM6  
DDR SDM7  
DDR SCKE3  
DDR SCKE2  
DDR SCKE1  
DDR SCKE0  
DDR SCS#0  
DDR SCS#1  
DDR SCS#2  
DDR SCS#3  
DDR SRAS#  
DDR SCAS#  
DDR SWE#  
DDR RDCLKI  
DDR RDCLKO

DDR CLK3# <13>  
DDR CLK4# <13>  
DDR CLK5# <13>  
DDR SMA12  
DDR SMA11  
DDR SMA10  
DDR SMA9  
DDR SMA8  
DDR SMA7  
DDR SMA6  
DDR SMA5  
DDR SMA4  
DDR SMA3  
DDR SMA2  
DDR SMA1  
DDR SBA1  
DDR SBA0  
DDR SDQ0  
DDR SDQ1  
DDR SDQ2  
DDR SDQ3  
DDR SDQ4  
DDR SDQ5  
DDR SDQ6  
DDR SDQ7  
DDR SDM0  
DDR SDM1  
DDR SDM2  
DDR SDM3  
DDR SDM4  
DDR SDM5  
DDR SDM6  
DDR SDM7  
DDR SCKE3  
DDR SCKE2  
DDR SCKE1  
DDR SCKE0  
DDR SCS#0  
DDR SCS#1  
DDR SCS#2  
DDR SCS#3  
DDR SRAS#  
DDR SCAS#  
DDR SWE#  
DDR RDCLKI  
DDR RDCLKO

DDR CLK3# <13>  
DDR CLK4# <13>  
DDR CLK5# <13>  
DDR SMA12  
DDR SMA11  
DDR SMA10  
DDR SMA9  
DDR SMA8  
DDR SMA7  
DDR SMA6  
DDR SMA5  
DDR SMA4  
DDR SMA3  
DDR SMA2  
DDR SMA1  
DDR SBA1  
DDR SBA0  
DDR SDQ0  
DDR SDQ1  
DDR SDQ2  
DDR SDQ3  
DDR SDQ4  
DDR SDQ5  
DDR SDQ6  
DDR SDQ7  
DDR SDM0  
DDR SDM1  
DDR SDM2  
DDR SDM3  
DDR SDM4  
DDR SDM5  
DDR SDM6  
DDR SDM7  
DDR SCKE3  
DDR SCKE2  
DDR SCKE1  
DDR SCKE0  
DDR SCS#0  
DDR SCS#1  
DDR SCS#2  
DDR SCS#3  
DDR SRAS#  
DDR SCAS#  
DDR SWE#  
DDR RDCLKI  
DDR RDCLKO

DDR CLK3# <13>  
DDR CLK4# <13>  
DDR CLK5# <13>  
DDR SMA12  
DDR SMA11  
DDR SMA10  
DDR SMA9  
DDR SMA8  
DDR SMA7  
DDR SMA6  
DDR SMA5  
DDR SMA4  
DDR SMA3  
DDR SMA2  
DDR SMA1  
DDR SBA1  
DDR SBA0  
DDR SDQ0  
DDR SDQ1  
DDR SDQ2  
DDR SDQ3  
DDR SDQ4  
DDR SDQ5  
DDR SDQ6  
DDR SDQ7  
DDR SDM0  
DDR SDM1  
DDR SDM2  
DDR SDM3  
DDR SDM4  
DDR SDM5  
DDR SDM6  
DDR SDM7  
DDR SCKE3  
DDR SCKE2  
DDR SCKE1  
DDR SCKE0  
DDR SCS#0  
DDR SCS#1  
DDR SCS#2  
DDR SCS#3  
DDR SRAS#  
DDR SCAS#  
DDR SWE#  
DDR RDCLKI  
DDR RDCLKO

DDR CLK3# <13>  
DDR CLK4# <13>  
DDR CLK5# <13>  
DDR SMA12  
DDR SMA11  
DDR SMA10  
DDR SMA9  
DDR SMA8  
DDR SMA7  
DDR SMA6  
DDR SMA5  
DDR SMA4  
DDR SMA3  
DDR SMA2  
DDR SMA1  
DDR SBA1  
DDR SBA0  
DDR SDQ0  
DDR SDQ1  
DDR SDQ2  
DDR SDQ3  
DDR SDQ4  
DDR SDQ5  
DDR SDQ6  
DDR SDQ7  
DDR SDM0  
DDR SDM1  
DDR SDM2  
DDR SDM3  
DDR SDM4  
DDR SDM5  
DDR SDM6  
DDR SDM7  
DDR SCKE3  
DDR SCKE2  
DDR SCKE1  
DDR SCKE0  
DDR SCS#0  
DDR SCS#1  
DDR SCS#2  
DDR SCS#3  
DDR SRAS#  
DDR SCAS#  
DDR SWE#  
DDR RDCLKI  
DDR RDCLKO

DDR CLK3# <13>  
DDR CLK4# <13>  
DDR CLK5# <13>  
DDR SMA12  
DDR SMA11  
DDR SMA10  
DDR SMA9  
DDR SMA8  
DDR SMA7  
DDR SMA6  
DDR SMA5  
DDR SMA4  
DDR SMA3  
DDR SMA2  
DDR SMA1  
DDR SBA1  
DDR SBA0  
DDR SDQ0  
DDR SDQ1  
DDR SDQ2  
DDR SDQ3  
DDR SDQ4  
DDR SDQ5  
DDR SDQ6  
DDR SDQ7  
DDR SDM0  
DDR SDM1  
DDR SDM2  
DDR SDM3  
DDR SDM4  
DDR SDM5  
DDR SDM6  
DDR SDM7  
DDR SCKE3  
DDR SCKE2  
DDR SCKE1  
DDR SCKE0  
DDR SCS#0  
DDR SCS#1  
DDR SCS#2  
DDR SCS#3  
DDR SRAS#  
DDR SCAS#  
DDR SWE#  
DDR RDCLKI  
DDR RDCLKO


Dell-Compal Confidential








Compal Electronics, Inc.

BROOKDALE-GL/PE (1/3)

Title			
BROOKDALE-GL/PE (1/3)			
Size	Document Number	Sheet	Rev
	Abacus/TangII LA-1452	9	1.0
Date:	Tuesday, November 26, 2002	Sheet	9 of 46

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT WITHOUT THE AUTHORIZATION OF COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS WITHOUT THE WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.








Dell-Compal Confidential

Compal Electronics, Inc.			
File			
BROOKDALE-GL/PE (3/3)			
Size			
Document Number			
Abacus/TangII LA-1452			
Rev			
1.0			
Date			
Tuesday, November 26, 2002			
Sheet			
11 of 46			

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT WITHOUT THE AUTHORIZATION OF COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, WITHOUT THE WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.




Layout note  
Place these resistors  
close by DIMM0,  
all trace length  
Max=1.4"



**Note:**

Place Close to DIMM0




Dell-Compal Confidential

**Compal Electronics, Inc.**


### DDR-SODIMM SLOT0

Size	Document Number <b>Abacus/TangII LA-1452</b>	Rev 1.0
Date:	Tuesday, November 26, 2002	Sheet 12 of 46







Layout note :  
Distribute as close as possible  
to DDR-SODIMM0.



Layout note :  
Distribute as close as possible  
to DDR-SODIMM1.



Layout note :  
Place one cap close to every 2 pull up resistors termination to  
+1.25VS



Dell-Compal Confidential

Compal Electronics, Inc.

DDR SODIMM Decoupling






Title			
Size	Document Number	Rev	
	Abacus/TangH LA-1452	1.0	
Date:	Tuesday, November 26, 2002	Sheet	14 of 46

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE REPRODUCED OR USED TO ANY THIRD PARTY WITHOUT THE PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.



SEL[2:0]	CK-408 Speed
001	100 MHZ
011	133 MHZ

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE REPRODUCED OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.



Daughter Card Present Table

	DOCKED	NON DOCKED
EXTVGA_IN# (Ext. Graphy)	LOW	HIGH
INTVGA_IN# (Int. Graphy)	LOW	HIGH

Dell-Compal Confidential


Compal Electronics, Inc.


AGP Conn.



Size	Document Number	Rev
	Abacus/TangH LA-1452	1.0
Date:	Tuesday, November 26, 2002	Sheet 16 of 46

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT WITHOUT AUTHORIZATION BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS WITHOUT THE PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.











Dell-Compal Confidential

**Compal Electronics, Inc.**

**INTEL ICH4 (2/3)**

Size	Document Number	Rev
	<b>Abacus/TangII LA-1452</b>	1.0
Date:	Tuesday, November 26, 2002	Sheet 19 of 46

# ICH4




Dell-Compal Confidential

Compal Electronics, Inc.


Title		
INTEL ICH4(3/3)		
Size	Document Number	Rev
	Abacus/TangII LA-1452	1.0
Date:	Tuesday, November 26, 2002	Sheet 20 of 46

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, WITHOUT THE PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.




### HDD Connector




### CD-ROM Connector






### Placea caps. near HDD CONN.



### Placea caps. near CDROM CONN.



SI2301DS: P CHANNEL  
VGS: -4.5V, RDS: 130 mOHM  
VGS: -2.5V, RDS: 190mOHM  
Id(MAX): 2.3A  
VGS(MAX): +/-8V




Dell-Compal Confidential

Compal Electronics, Inc.


IDE/FDD/CD-ROM Module

Title	Document Number	Rev
Abacus/TangII LA-1452		1.0
Date:	Sheet	of
Tuesday, November 26, 2002	21	46

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPALELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPALELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE WRITTEN CONSENT OF COMPALELECTRONICS, INC.












Dell-Compal Confidential

**Compal Electronics, Inc.**



PCMCIA &amp; 1394 Controller PCI4510

Size	Document Number			Rev	
	Abacus/TangII LA-1452				
Date:	Tuesday, November 26, 2002	Sheet	23	of	46

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE REPRODUCED OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.



CardBus Socket



Dell-Compal Confidential


Compal Electronics, Inc.

Title			PCMCIA Socket
Size	Document Number	Abacus/Tangli LA-1452	
Date:	Tuesday, November 26, 2002	Sheet	24 of 46
Rev	1.0		

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT WITHOUT THE AUTHORIZATION OF COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT THE WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.



*This page POP with 845GL for INT.*



Dell-Compal Confidential


**Compal Electronics, Inc.**

Title	PCMCIA Controller PCI1510
-------	---------------------------


Size	Document Number			Rev	
	Abacus/TangII LA-1452				
Date:	Tuesday, November 26, 2002	Sheet	25	of	46

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.






## MINI PCI TYPE III



WIRELESS SUPPORT ONLY



<18,22,23,24,25,33> AD[0..31]  
<18,22,23,25,33> C/BE#[0..3]




Dell-Compal Confidential

Compal Electronics, Inc.

Title			
MiniPci Port			
Size	Document Number	Rev	
	Abacus/TangII LA-1452	1.0	
Date:	Tuesday, November 26, 2002	Sheet	26 of 46




THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS SHALL BE USED BY ANY THIRD PARTY WITHOUT THE WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.




<b>Compal Electronics, Inc.</b>			
Title			
AC97 CODEC			
Size	Document Number		Rev
	Abacus/TangII LA-1452		1
Date:	Tuesday, November 26, 2002	Sheet	27 of 46


DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAQ ELECTRONICS, INC. NEITHER  
MAY BE REPRODUCED OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN  
S

WWW.AllSaler.Com

\*




### Touch Pad & Status LED Conn.




### MDC Note

Pin 1 is NC for Pctel and connexant MDC modem  
Pin 2 is NC for Pctel and connexant MDC modem

### Screw Hole



### Fiducial Mark



Dell-Compal Confidential



Compal Electronics, Inc.

Title		
MDC/SWITCH Connector		
Size	Document Number	Rev
	Abacus/Tang II LA-1452	1.0
Date:	Tuesday, November 26, 2002	Sheet 29 of 46



THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS BE LOANED, REPRODUCED, COPIED, OR IN ANY MANNER DISCLOSED TO ANY THIRD PARTY WITHOUT THE WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.






***Input Port***



## INT\_KBD CONN.



**Output Port**







Dell-Compal Confidential


**Compal Electronics, Inc.**

### EC Extend I/O KB Conn. & BIOS

<b>Compal Electronics, Inc.</b>			
<b>Title</b>			
<b>EC Extend I/O KB Conn. &amp; BIOS</b>			
<b>Size</b>	<b>Document Number</b>		<b>Rev</b>
	<b>Abacus/TangII LA-1452</b>		<b>1.0</b>
<b>Date:</b>	<b>Tuesday, November 26, 2002</b>	<b>Sheet 31 of 46</b>	




Note:  
USB\_AS=USB\_BS=Trace width=40mils



Power SW Function Button

## USB PORT



Dell-Compal Confidential


Compal Electronics, Inc.

Title			
Power OK/Reset/RTC battery/USB Conn			
Size	Document Number	Rev	
	Abacus/TangH LA-1452	1.0	
Date:	Tuesday, November 26, 2002	Sheet	32 of 46


THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT WITHOUT THE AUTHORIZATION OF COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE REPRODUCED OR USED TO ANY THIRD PARTY WITHOUT THE WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.




### +1.5VALW to +1.5VS Transfer









### +3VALW to +3V Transfer



### +5VALW to +5VS Transfer



### +3VALW to +3VS Transfer




Dell-Compal Confidential

Compal Electronics, Inc.

DC/DC Circuit / Debug Port

Title	Document Number	Rev
Abacus/TangH LA-1452	1.0	
Date:	Sheet	of
Tuesday, November 26, 2002	33	46

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPALELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT WITHOUT THE AUTHORIZATION OF COMPALELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, WITHOUT THE WRITTEN CONSENT OF COMPALELECTRONICS, INC.




**Precharge detector  
15.97V/14.84V FOR  
ADAPTOR**

Title				
Detector				
Size	Document Number			Rev
	Abacus/TangII LA-1452			1.
Date:	Tuesday, November 26, 2002	Sheet	34	of 46

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

I<sub>adp</sub>=0~4.10A(90W)  
I<sub>adp</sub>=0~3.20A(70W)  
I<sub>air</sub>=0~2.25A(Air)



IREF=0.82\*I<sub>charge</sub>  
IREF=0~3.3V

Charge voltage  
4S CC-CV MODE : 16.8V  
VCHG is H  
4S PULSE MODE : 17.4V  
VCHG is L

OVP voltage :

LI-4S :18.0V----BATT-OVP=2.00V

LI-3S :13.5V----BATT-OVP=1.50V

BATT-OVP=0.2206\*BATT++


THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPALELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPALELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE REPRODUCED OR USED TO ANY THIRD PARTY WITHOUT THE PRIOR WRITTEN CONSENT OF COMPALELECTRONICS, INC.


Dell-Compal Confidential


Compal Electronics, Inc.


Charger

Title			
Size	Document Number	Rev	
	Abacus/TangH LA-1452	1.0	
Date:	Tuesday, November 26, 2002	Sheet	35 of 46









AC Adapter	LOW_PWR	AC_LOW_PRES#	AC_LOW_PRES2#	IREF2
90W	0V	0	0	2.96V
70W	Float	0	1	2.31V
AIRLINE	20V	1	1	1.62V


Dell-Compal Confidential

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE REPRODUCED OR USED TO ANY THIRD PARTY WITHOUT THE PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Title Adapter Detector			
Size	Document Number Abacus/Tangli LA-1452	Rev 1.0	
Date	Tuesday, November 26, 2002	Sheet	39 of 46



#6	RAMPS	#12	ALTV	#17	NODV
#8	VMON	#13	OFFSET	#24	EN
#11	OCSET	#15	VRTN	#27	ALTEN
#26	SOFT				



	DE-POP	PR249	PR256	PR268	PC171
ISL6219 for desk-top	PR247, PR255, PR260 PR248, PR250, PR258, PC178, PC172, PR236	7.5K	1.74K	unpop	5.6nF
ISL6215 for mobile	PR266, PQ74, PQ71 PR253, PC179, PR257	6.04K	1.5K	130K	4.7nF

PTC solution	1. PH6, PH7, PH8 pop thermal resistor 2. Non-pop PR298 and PH5 3. PR297 0 ohm
NTC solution	1. PH6, PH7, PH8 pop 0 ohm resistor 2. Pop PR298 681_0603_18, PR297 1.15K_0603_18 3. Pop PH5 4 7K thermal resistor

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Dell-Compal Confidential

<b>COMPAL ELECTRONICS, INC</b>			
Title			
<b>+CPU_CORE</b>			
Size	Document Number	Rev	
<b>B</b>	<b>Abacus/Tangli LA-1452</b>	<b>1.0</b>	
Date:	Tuesday, December 10, 2002	Sheet	40 of 46

Item	Fixed Issue	Reason for change	Rev.	PG#	Modify List	B.Ver#	Phase
1	Fireware issue	The ICH4 GNTA# strap pull up for EC BIOS	0.1A	18	Depop R153, GNTA# have internal pull up	0.1	SST
2	Leakage current issue	Reduce Broadcom 4401L leakage current	0.1A	22	Depop L39 and pop L7, connctor power source from +3VALW to +3V, R31, R32, R33 pull up to +3VAUXLAN, Q3,Q4,Q5 pin3 connect to +3VAUXLAN	0.1	SST
3	Fix schematics part value	L21, L22, L23, L26 part value different with BOM	0.1B	15	Change L21, L22, L23, L26 part value from CHB2012U121 to BLM21A601SPT on schematics	0.1	SST
4	BOM issue	R445 include wrong part number	0.1B	33	Change R445 part number from SD028470200 to SD028680200. PN indicate value from 47K_0402_5% to 68K_0402_5%	0.1	SST
5	HDD leakage current issue	When AC in +5VSHDD will go up to 5V	0.1C	21	Q6 change to SI2302DS as schematics, SIDEPR active low when HDD power on	0.1	SST
6	Capture library package issue	2N7002 Drain is pin1, Source is pin3	0.1C	28	Fixed Q30, Q31, Q32 Capture libaray, pin1 fixed to pin3, pin3 fixed to pin1	0.1	SST
7	BOM issue	Fixed R196-R199 from 56.2K ohm to 56.2 ohm	0.1C	23	Change R196-R199 PN from SD014562207 to SD014562A00 on schematics	0.1	SST
8	Fix LOM EEPROM issue	U8 (AT93C46) is used X16 organization	0.1C	22	NC or pop R452 to pull up U8 pin6 for X16 organization select	0.1	SST
9	Fix CLKRUN# leakage issue	ICH4 not implement CLKRUN#, GPIO24 is resume power well.	0.1D	19	Add a diode D46 to isolate GPIO24 from ICH4 to PCI devices, and depop D46.	0.2	PT
10	LOM EEPROM issue	U8 (AT93C46) is used X16 organization. U8 pin6 pull up or NC for X16 organization select, pull down for X8 organization selcet.	0.1D	22	U8 pin6 pull up +3VAUXLAN via R452, and depop R452.	0.2	PT
11	SW BD LED keep turn on	SW BD LED control transistor Emitter conncet to +5VALW be keep LED always turn on	0.1D	32	Change JF5 pin9 from +5VS to +3VS	0.2	PT
12	Fix VCCA_SM voltage drop issue	Add current rating for VCCA_SM, VCCA_DPLL, VCCA_FSB (1.5VS)	0.1E	10	Change L3, L4, L27, L28 from MLF2012DR68XT to FBM-L11-201209-121LMA05	0.2	PT
13	Change address and control signals layout topology	Change ddr address and control signal layout topology	0.1E	12,13	DDR address and control signals layout topology same the ddr data layout topology	0.2	PT
14	Fix EE issue item 89	Signal COMP/B and Y/G connect error	0.1E	17	Swap COMP/B and Y/G to correct connection	0.2	PT
15	Fix EE issue item 91	BEEP# from EC should be high active	0.1E	28	Change net name BEEP# to BEEF	0.2	PT
16	Fix EE issue item 92	Fix FSB 400MHz when 845GL pop	0.1E	15	Add R455 (8.2K_5%) pull down for H_BSEL0	0.2	PT
17	Fix EE issue item 95	When AC insertion SUSP# may be floating before the KBC can programit.	0.1E	33	Add R456 (100K_5%) pull down SUSP#	0.2	PT
18	Fix EE issue item 47	Provide enough current rating	0.1F	15	L22 and L26 change frome BLM21A601SPT (300mA) to FBM-L11-201209-121LMA05 (500mA) and depop L22	0.2	PT
19	Card Bus power bead current rating not enough	Provide enough current rating	0.1F	24	L5 and L6 change frome FBM-L11-160808-800LMT_0603 (300mA) to FBM-L11-201209-121LMA05 (500mA)	0.2	PT
20	Fix EE issue item 102	Fix Intel CPU FSB frequency issue	0.1F	10,15	H_SEL0 connect to R270 pin1 from CLK generator, HBSEL0 connector to R270 pin2 from CPU. Depop R270 on GL board.	0.2	PT
21	Battery charge issue	ACIN pull up +3VALW can't change power supplier to Battery when AC exit	0.1F	18	Depop R161	0.2	PT
22	NO	Change PCMCIA connector	0.1F	24	Change PCMCIA connctor from AMP_0-1376275-1 to JAE_JC21-BRB	0.2	PT
23	Fix INTRUDER issue	ESD protect for Q22	0.1F	32	Add C638, C639 for Q22 protection	0.2	PT
24	Remove PS2 connector	No necessary	0.1G	29	Remove RF7, JF26	0.2	PT
25	Add debug port	GL board have not pop minipci connector, we need a port 80 debug tool	0.1G	33	Add R458, C637 and JF27	0.2	PT
27	For cost save	For cost save	0.1G	32	Depop C10, C229 (150U Poly Cap), add C641, C642 (100U Petit Cap)	0.2	PT
28	It no need	Use R19 pop and depop to control H_SEL0 high or low	0.1G	15	Remove R455	0.2	PT
29	Fix EE issue item 134	Change ddr address and control signal layout topology	0.1H	12,13	Change DDR address and control signal to go back SST topology	0.2	PT
30	Fix EE issue item 149	Pop Petit Cap after EA test	0.1H	32	Depop C641, C642 and pop C10, C229	0.2	PT
31	Fix EMI issue	EMI team's recommendation	0.1I	10	Pop R52, C79 for CLK_CLK_PCI_LAN; R428, C614 for CLK_PCI_MINI; R406, C597 for CLK_PCI_LPC; R321, C395 for CLK_ICH_66M	0.2	PT

Compal Electronics, Inc.

Title	P.I.R History		
Size	Document Number	Rev	
	Abacus/Tangli LA-1452	1.0	
Date:	Tuesday, November 26, 2002	Sheet	41 of 46

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS SHALL BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT THE WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Item	Fixed Issue	Reason for change	Rev.	PG#	Modify List	B.Ver#	Phase
32	No	Connect MiniPci connector metal door to short to GND	0.1I	26	Add JP24 pin 127, 128 on schematics short to GND, JP24 footprint pin 127, 128 (metal lock door) be short to GND	0.2	PT
33	No	Some text mode use wire, change to line	0.1I	10,30,40	Some text mode use wire, change to line	0.2	PT
34	Fix power on issue	Use PCIRST# to set the SHDN_1632# work after PCIRST# high when power on	0.1I	6	Add Q62 gate connect to PCIRST#, source connect to SHDN_1632#	0.2	PT
35	No	Change to use approve part	0.1I	31	RP18 (8.2K +5% 4P2R) change to R453, R454 (8.2K_0402_5%)	0.2	PT
36	No	Hard Disk source power change to +5VS	0.1I	21	Q6 change back to SI2301DS (PMOS) pin3 connect to +5VS	0.2	PT
37	Fix EE issue item 134	Change DDR address and control signal topology back to REV0.1	0.1I	12,13	Change DDR address and control signal topology back to REV0.1	0.2	PT
38	Fix EE issue item 171	For CRT Hsync and Vsync to allow tuning	0.1I	17	Add series resistors R459, R460 for Hsync and Vsync	0.2	PT
39	No	Schematic version change for PT build	0.2	ALL	Change revision from 0.1I to 0.2	0.2	PT
40	Fix issue item 20	Slow rising and falling time	0.2A	10	Pop R234, C249 for CLK_MCH_DISPLAY; R286, C333 for CLK_MCH_66M	0.2	PT
41	Fix CRT rising and falling time issue	Fast rising and falling time	0.2A	17	Pop L1, L2, L15 Change form FCM-2012C-800 to FBM-10-201209-260T for PE board	0.2	PT
42	No	Change Board ID output level	0.2A	30	Pop R393 100K_0603_1% for Board ID	0.2	PT
43	No	Add off-page reference	0.2A	24	Add off-page on pg24 FCMCIA connector	0.2	PT
44	No	Net in for Rev 0.2A Gerber	0.2B	ALL	Modify Text	0.2A	PT-2
45	Fix DFX issue	C387 effect DIMM door lock	0.2C	21	Add C643 22U_I206 replace C387's layout location and C387 leave DIMM area.	0.2A	PT-2
46	No	Add JPL8 PCMCIA connector GND pads	0.2C	24	JPL8 pin75,76,77,78,79,80,81,82 connect to GND	0.2A	PT-2
47	No	PM_GMUXSEL for mobil platform to support SpeedStep, desktop platform just GPIO fuction	0.2C	19	Remove PM_GMUXSEL signal net	0.2A	PT-2
48	Fix PIR2 issue	PIR not match schemaitcs	0.2F	22	Pop L39 and depop L7	0.2A	PT-2
49	Fix PIR19 issue	PIR not match schemaitcs	0.2F	24	L5, L6 change to FBM-L11-201209-221LMAT (3A). And Depop L5	0.2A	PT-2
50	Fix PIR23 issue	PIR not match schemaitcs	0.2F	32	Depop C638	0.2A	PT-2
51	Fix PIR24 issue	PIR not match schemaitcs	0.2F	30	RP7 pop for pull up PS2 signal	0.2A	PT-2
52	Fix PIR25 issue	PIR not match schemaitcs	0.2F	33	JP27 pop on GL board for debug and depop on PE board	0.2A	PT-2
53	Fix EE issue item 62	Schematics component's PN not match BOM	0.2G	29	JP13 (TP CONN) PN change to "SP020010910" in schematics to match BOM	0.2A	PT-2
54	Fix EE issue item 63	Schematics component's PN not match BOM	0.2G	29	JP25 (MDC CONN) PN change to "SP02F00410L" in schematics to match BOM	0.2A	PT-2
55	Fix EE issue item 64	Schematics component's PN not match BOM	0.2G	32	JP4 (USB CONN) PN change to "DC23310241L" in schematics to match BOM	0.2A	PT-2
56	3VDDCDA, 3VDDCCK rising time issue	3VDDCDA, 3VDDCCK rising slow on SMBus EA measurement	0.2G	17	R5, R201 change from 10K_0402_5% to 2K_0402_5%	0.3	ST
57	EE issue list item 91	CLK_PCI_ICH timing out of spec	0.2H	18	Pop R349 (22_0402_5%), C480 (10P_0402_50V8K) for CLK_PCI_ICH AC termination	0.3	ST
58	EE issue list item I03	Depop sub thermal sensors for cost save	0.2H	8	Depop U25, U23, C394, C482, R308, R351 and R306	0.3	ST
59	Fix Boardcom 4401L wake up from S3 issue	Fix Boardcom 4401L wake up from S3 issue	0.2H	22	Add R461, R462 and depop R462. Option VESD and VDDBUS power source from +3VS to +3VAUXLAN. C97, C96, C77, C74, C88, C87, C80 bypass +3VWOL	0.3	ST
60	EE issue list item I03	H_BSEL0 of 845PE should get 1.5V at input and CLK chip should be seeing 3.3V with 533MHz CPU	0.2H	15	Add R463 (0_0402_5%) Pop on PE board. R19 move to CPU side and power source +3VS.	0.3	ST

Compal Electronics, Inc.			
Title			
P.I.R History			
Size	Document Number		Rev
	Abacus/Tangli LA-1452		1.0
Date:	Tuesday, November 26, 2002	Sheet	42 of 46

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS SHALL BE DISCLOSED TO ANY THIRD PARTY WITHOUT THE WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Item	Fixed Issue	Reason for change	Rev.	PG#	Modify List	B.Ver#	Phase
61	ESD protection on 2nd FAN	ESD protection on 2nd FAN	0.2I	7	Reserve Q63 (SM05) for 2nd FAN ESD protection	0.3	ST
62	Fix EE issue item 105	H_BSEL0 circuit not correct	0.2I	10, 15	Serie resistor R270 for CPU and MCH	0.3	ST
63	No	Change Board ID for ST build	0.2I	30	R394 change from 10K_0603_1% to 24.9K_0603_1%	0.3	ST
64	No	Change for ITP test on PCBA	0.2I	6, 8	Depop R313, R305 and pop R310, R372, R183, R184, R304	0.3	ST
65	Fix EE issue item 126	Using larger cap for high-pot margin	0.2J	22	C211, C212 change package from 1206 size to 1808.	0.3	ST
66	RJ11 ISN failed	EMI team recommend to resolve RJ11 ISN test failed	0.2J	29	Cut a seperated GND for MDC and connect to system GND via a schottky diode. Reserve a jump for connect system and MDC GND.	0.3	ST
67	Fix EE issue item 140	Connect 9C/12C#/8C# to EC GPIO for future 9Cell support if required	0.2K	31, 34	Connect 9C/12C#/8C# from PR162 to U30 pin17 and remove R388	0.3	ST
68	TI TPS793475DBVR damage issue	When power on, there are 1.5A sink current when TPS793475DBVR started	0.2K	29	For power solution, C558 change package size from 0402 to 0603 for value tolerance	0.3	ST
69	Fix EE issue item 136	Add hardware circuit to sense Adapter current and automatically generate PROCHOT to the CPU to generate automatic throttling	0.2K	6	R311 change to 4.7K_0402_5%, H_PROCHOT# connect to PD36	0.3	ST
70	Fix ThermTrip function	When thermal protective resistor PH1 work, SHDN_1632# can't tie to low	0.2K	6	R320 connect to Q59 base, R316 connect to Q59 collector and VL power source. Add Q64 between Q59 and Q62. Q62 change pin1 Drain to connect SHDN_1632#	0.3	ST
71	RJ11 ISN failed	Change solution for ISN failed	0.3	29	Remove PJP9-13 and D47	0.3	ST
72	Fix EE issue item 136	Follow Intel desing guide recommend pull up resistor value	0.3	6	R311 change back to 62_0402_5%	0.3	ST
73	Fix EE issue item 141	Prevent noise issue	0.3	28	Depop R328 for noise prevention	0.3	ST
74	No	For cost save	0.3	7	Depop C148, C150 (470U_D4_2.5VM) and C152 (330U_D2E_2.5VM)	0.3	ST
75	Fix PROTO3 EE issue item 44	Minipci connector pop for PE board only	0.3B	26	Add 2@ symbol for JP24 for PE board pop only	0.3	ST
76	No	Vendor schematics review recommendation	0.3B	22	R35 change from 10K_0402_5% to 1K_0402_5%	0.3	ST
77	Fix PROTO3 EE issue item 45	Remove minipci suport component for GL board cost save	0.3B	26	Remove R405, R399, C600, C596, C613, C612, C599, C598, C609, L35, C616, C610, L36, R401, R403 on GL board	0.3	ST
78	No	Modify material value	0.3C	23, 26, 27, 28	Change value L11, L30, L31, L35, L36 from BDM21A05_0805 to BLM21A05_0805	0.3	ST
79	No	Modify material part number	0.3C	27	U24 STAC9750 change from (SA097500000) to (SA097500010) for both BOM	0.3	ST
80	No	Depop Fan2 Control circuit	0.3C	7	Delete R11, D11, D20, U1, R10, R6, Q1, C234, Q8, JP19	0.3	ST
79	No	EMI require	1.0	17	Pop D1, D3, D18 for EMI requirement	1.0	QT
80	No	Modify Fiduial Mark & Screw Hole value for non pop	1.0	29	Fiduial Mark & Screw Hole value add @ symbol	1.0	QT

Compal Electronics, Inc.			
Title		P.I.R History	
Size	Document Number	Rev	
	Abacus/TangII LA-1452	1.0	
Date:	Tuesday, November 26, 2002	Sheet	43 of 46

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT THE WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Item	Fixed Issue	Reason for change	Rev.	PG#	Modify List	B.Ver#	Phase
1	CPU_CORE can't power up	Pin7 of PU16 can't be used as on/off control pin	0.1B	40	1. Change VCC power source of PU16 from +5VALWP to +5VS	0.1	SST
2	current limited is not up to 60A	Current limited is about 37A while PH6,PH7,PH8 is 1.5K that is not enough for design target.Because we don't use PTC resistor on PCB now, the value must be tuned later.	0.1B	40	1. Change PH6,PH7,PH8 from 1.5K_0603_5% to 3K_0603_1%	0.1	SST
3	Turn on voltage of PQ19 is not enough	Vgs of PQ19 is 2V while PR72 is 47K. That is not enough. While PR72 is 22K, the Vgs can be improved to 2.5V.	0.1B	35	1. Change PR72 from 47K_0402_5% to 22K_0402_5%	0.1	SST
4	current rating is not enough.	FBM-L11-322513-151LMAT is 5A that is not enough.So FBM-L18-453215-900LMA90T1812 is 9A that is better.	0.1B	35	1. Change PL8 from FBM-L11-322513-151LMAT to FBM-L18-453215-900LMA90T1812.	0.2	PT
5	Fix noise issue	On SST PCB, we can sound some noise due to PC77, the ceramic capacitor has sounded noise with thinner type.	0.1C	36	1. Change PC77 from 2.2U_1206_25V to 4.7U_1210_25V	0.2	PT
6	Fix CPU_CORE Transient Response fail	The transient response is too slow. We must to tune feedback resistor and capacitor to fix it.	0.1E	40	1. Change PR249 from 3.48K_0603_1% to 5.76K_0603_1%. 2. Change PR257 from 49.9_0603_1% to 1.1K_0603_1% 3. Populate PC172 68PF_0603_50V.	0.2	PT
7	SDREF output voltage is over spec.	Add bypass capacitor pallel pin18 of ISL6225	0.1E	38	Populate PC218 470P_0603_50V7K	0.2	PT
8	PG of CM28423 has a glitch while VCC is ready and VR_ON is float	Add pulldown resistor tie to GND while VR_ON is float that can be made sure the logic is low.	0.1E	40	Add PR301 100K_0603_1%	0.2	PT
9	Change VCC power source of PU15, PU17, PU19 from +5VALWP to +5VS	Negative voltage was observed on +5VALWP when system powered off	0.1E	40	1. Change VCC power source of PU15, PU17, PU19 from +5VALWP to +5VS	0.2	PT
10	Prevent abnormal function OVP caused by ISL6219 while system powerwd off ; bouble pulses was observed at output PW1, PW2, PWM3 of ISL6219	ISL6219 caused OVP when on/off pin changed from high to low level	0.1E	40	1. Add PQ82 2N7002 2. Change PR232 from 5.1_0603_5% to 10K_0603_5% 3. Change PC168 from 1U_0805_25V to 0.01U_0603_50V. 4. Depop PR251, PR270, PC183, PC194 5. Tie the EN pin of PU15, PU17, PU19 to Pin1 of PQ82	0.2	PT
11	Fine-tune current sharing of CPU VR phasel,2,3 to have thermal balance	uneven current sharing found	0.1E	40	1. Change PH6, PH7, PH8 form 3K_0603_1% to 0_0603_5% 2. Change PR245 from 0_0603_5% to 1.96K_0603_1% 3. Change PR263 from 0_0603_5% to 1.43K_0603_1%. 4. Change PR276 from 0_0603_5% to 1.5K_0603_1%	0.2	PT
12	Fine-tune CPU load-line with NTC	Fine-tune CPU load-line with NTC	0.1E	40	1. Keep PR268 nonpop 2. Change PR256 from 2K_0603_1% to 1.74K_0603_1% 3. Change PR297 from 0_0603_5% to 1.15K_0603_1%. 4. Change PH5from depop to 4.7K_0603_1% 5. Change PR298 from depop to 681_0603_1% 6. Change PR257 from 49.9_0603_1% to 909_0603_1% 7. Change PC179 from 3900P_0603_50V to 5.6N_0603_50V 8. Change PR249 from 3.48K_0603_5% to 7.5K_0603_1% 7. Change PC171 from 6800P_0603_50V to 5.6N_0603_50V 8. Change PC172 from depop to 47P_0603_50V	0.2	PT
13	Audio noise found	Still find root cause	0.1E	35, 36, 38, 40	1. reserve 15U_D_25V capacitors on PC226-PC235,	0.2	PT
14	PC212 location space change	requested by ME to put a connector around	0.1E	38	1. change the size of PC212 from D size to 0805 and pop 4.7U_0805_10V	0.2	PT
15	Remove PD5	no possibilty to have a reverse voltage at Vin when adapter plug-in because of the DC-jack orientation structure	0.2C	34	1.delete PD5 from schematics	0.2A	PT-2
16	Prevent PU14 from burn out	When pin1 (GND pin) of DC-jack PCN1 disconnected from B/M (damaged by force from outside), there is a large current going through PU14 resulted in PU14 damaged	0.2C	39	Add PR302 10K_0603_5%	0.2A	PT-2

## Compal Electronics, Inc.

Title			
PIR			
Size	Document Number		Rev
	Abacus/TangII LA-1452		1.0
Date:	Tuesday, November 26, 2002	Sheet	44 of 46

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE REPRODUCED, COPIED, OR TRANSMITTED IN ANY FORM OR BY ANY MEANS WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Item	Fixed Issue	Reason for change	Rev.	PG#	Modify List	B.Ver#	Phase
17	100MHz EMI broad-band over spec.	Improve 100MHz EMI broad-band	0.2E	34	Add a FBM-L18-453215-900-LMA90T_1812 bead on PL7	0.2A	PT-2
18	100MHz EMI broad-band over spec.	Improve 100MHz EMI broad-band	0.2H	34	1. Change PL6,PL7 from FBM-L18-453215-900-LMA90T_1812 to MCK4532800YAT_1812 2. Add PL4 MBH2012102YZT_0805 3. Change PC45 from 100P to 560P, PC46 from 1000P to 12P,PC47 from 100P to 12P and PC48 from 1000P to 560P	0.3	ST
19	Precharge function has some bug, while AC Adapter plug in first time	Precharge can reduce surge current from AC adapter,while Adapter plugged in	0.2H	34	1. Change PR51 from 1M to 2.2M,PR55 from 215K to 191K. 2. Change PR54 from 10K to 34K,add PR32 66.5K. 3. Change PC51 from 0.1U_16V to 1000P_50V. 4. Change PC50 from 1000P_50V to 0.1U_16V. 5. Change net +5VP and RTCVREF to VL. 6. Change PR113 from 47K_0402_5% to 0.0402_5%. 7. De-pop PC111 and change PC158 from 0.1U_16V to 0.47U_16V.	0.3	ST
20	Power rating of 0.02_2010 is not enough.	rating power of 0.02_2010 is 0.5W that is very poor for 90W adpater	0.2H	35	1. Change PR65 from 0.02_2010_1% to 0.02_2512_1%.	0.3	ST
21	Power open issue	Change size of thermal resistor and cost down	0.2H	36	Change PH1 from 10K_0805_1% to 10K_0603_1%.	0.3	ST
22	Power good glitch issue in ISL6225	The glitch occurs while secondary PWM is enabled that effects system boots up	0.2H	38	1. Add PR31 1K_0402_5%.. 2. De-pop PR294	0.3	ST
23	Fix open issue #137	DELL don't approve item22 solution, prefer using new version ISL6225	0.2J	38	1. De-pop PR31 1K_0402_5%. 2. De-pop PR294 0_0402_5%. 3. Add PR30 0_0402_5%.	0.3	ST
24	Fix open issue #124	Fix open issue #124 and using ISL6219A	0.2J	40	1. Change PR232 from 10K_0603_5% to 5.1_0603_5%. 2. Populate PR251 and PR270 5.1_0603_5%. 3. Populate PC183 and PC194 0.01U_0603_50V. 4. De-pop PQ82,PD31,PD,32	0.3	ST
25	Fix ISN fail issue	Fix ISN fail with 200KHz	0.2J	35	1. Change PR81 from 66.5K_0603_1% to 47K_0603_1% 2. Change PC55 and PC56 from 4.7U_1210_25V to 10U_1210_25V 3. Change PL9 from 15UH to 22UH	0.3	ST
26	Fix open issue #123	Rds(on) of SI4835DY is too high,change PQ14,15,16 to SI4825DY for power stress	0.2J	35	Change PQ14,PQ15,and PQ16 from SI4835DY to SI4825DY	0.3	ST
27	Adapter shut down while running P4MaxPower 100%	Adapter current over 5.5A 4 sec while running P4MaxPower 100%	0.3	37	1. add PR303, PR306 47K_0402_1%. 2. add PR304 1M_0402_1%. 3. add PR305 226K_0402_1% 4. add PR307 147K_0402_1% 5. add PR308 100K_0402_1% 6. add PC236 0.01U_0603_50V 7. add PC239 0.1U_0603_16V 8. add PC238 1000P_0402_50V 9. add PQ83, PQ84 2N7002 10. add PU21 LM393A	0.3	ST
28	Modify thermal protect temp. from 95C to 87C	Based on thermal team requirement	0.3A	36	1. ChangePR119 from 21K_0603_1% to 17.8K_0603_1% 2. Change PR117 from 1.74K_0603_1% to 2.05K_0603_1%	0.3	ST

## Compal Electronics, Inc.

Title		
PIR		
Size	Document Number	Rev
	Abacus/TangII LA-1452	1.0
Date:	Tuesday, November 26, 2002	Sheet 45 of 46

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE REPRODUCED, COPIED, OR TRANSMITTED IN ANY FORM OR BY ANY MEANS WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Item	Fixed Issue	Reason for change	Rev.	PG#	Modify List	B.Ver#	Phase
29	modify compension for reduce output capacitor	modify compension for reduce output capacitor	0.3A	40	1. De-pop PR257 and PC179. 2. Change PC171 from 5.6N_0603_50V to 15N_0603_50V 3. Change PC172 form 47P_0603_50V to 150P_0603_50V 4. Change PR249 from 7.5K_0603_1% to 10K_0603_1%	0.3	ST
30	Fix item25 about ISN test without changing inductor	Fix item25 about ISN test without changing inductor	0.3A	35	1. Change PL9 from 22UH_SPC-1205P-220A to 15UH_SPC-1204P-150	0.3	ST
31	Capacitor DFX issues	Component layout pad overlap (reservated for noise issue) causes some components shifting when pass the re-flow	0.3D	35 36 38 40	remove PC226, PC227, PC228, PC229, PC230, PC231, PC232, PC233, PC234, PC235	1.0	QT
32	Noise issue in B+ power	Add reservated caps. back for noise issue	0.3E	35 36 38 40	reserve PC226, PC227, PC228, PC229, PC230, PC231, PC232, PC233, PC234, PC235	1.0	QT

Compal Electronics, Inc.

Title			PIR
Size	Document Number		Rev
	Abacus/TangII LA-1452		1.0
Date:	Tuesday, November 26, 2002	Sheet	46 of 46

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE REPRODUCED, COPIED, OR DISCLOSED TO ANY OTHER PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.